

**To:** Howell, Tonya[Howell.Tonya@epa.gov]  
**From:** Williams, Mike  
**Sent:** Wed 8/30/2017 10:58:00 PM  
**Subject:** RE: Dico Redline

Tonya –

I think your wording sounds fine. It's repetitive like you said, but that's probably okay. I made a change to include Future Industrial/Commercial Workers with risk outside of the range (2E-04). Table 2-1 shows it as 1E-04 for VI risk, but section 2.7 of the HHRA text states it correctly. Danielle pointed this out the other day and if you look at the individual risk drivers it shows TCE as 2.0E-04. I'll make a note to change that table.

I need to check on two other items, before sending it back. I'll talk to you tomorrow.

Thanks,

Mike

**Mike Williams** | Sr. Project Manager/Hydrogeologist

415 Oak Street | Kansas City, Missouri 64106 | [www.tetrattech.com](http://www.tetrattech.com)  
Direct: 816.412.1767 | Main: 816.412.1741 | Fax: 816.410.1748 | Mobile: 913.689.9367

[Mike.Williams@tetrattech.com](mailto:Mike.Williams@tetrattech.com)

**Tetra Tech** | **Complex World, Clear Solutions™**

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

**From:** Howell, Tonya [mailto:Howell.Tonya@epa.gov]  
**Sent:** Wednesday, August 30, 2017 3:11 PM  
**To:** Williams, Mike <Mike.Williams@tetrattech.com>  
**Subject:** Dico Redline

Tonya Howell

Remedial Project Manager

Superfund Redevelopment Initiative Coordinator

SUPR/FFPC

913-551-7589